IN THE CLAIMS:

Kindly amend the claims without prejudice, without admission, without surrender of subject matter, and without any intention of creating any estoppel as to equivalents.

- 1.-10. (Cancelled).
- 11. (Currently Amended) Apparatus for hydrotreating a hydrocarbon feedstock comprising:
 - a hydrocarbon feedstock supply,
 - a desulfurization reactor fed by said supply,
 - at least one separate hydrotreatment reactor,
- a fractionation unit disposed between the desulfurization reactor and said the at least one hydrotreatment reactor,

said fractionation unit containing an internal partitioning structure defining two distinct injection zones in flow communication with a common upper vaporization zone,

an evacuation line for withdrawal downstream of light fractions from the vaporization zone,

said fractionation unit having separate lines for carrying respectively the effluents from the desulfurization reactor and the effluents from the <u>at least one</u> hydrotreatment reactor to the fractionation unit, with one of said lines carrying the effluents from the desulfurization reactor into one of said <u>injection</u> zones, and the other of said lines carrying the effluents from the <u>at least one</u> hydrotreatment reactor into the other of said <u>injection</u> zones,

- the fractionation unit having two different draw-off lines through which are removed, from the injection zones respectively, the liquid bottoms of the effluents of the desulfurization

reactor that are passed on to the <u>at least one</u> hydrotreatment reactor and separately of the effluents from the at least one hydrotreatment reactor that are passed on downstream.

- 12. (Original) Hydrotreatment apparatus according to Claim 11, wherein the desulfurization reactor is a hydrodesulfurization or a sweetening reactor.
- 13. (Currently Amended) Hydrotreatment apparatus according to Claim 11, <u>further</u> comprising a <u>wherein the</u> separation means, <u>the separation means</u> is a vertical partition extending from <u>the a</u> bottom of the fractionation unit.
- 14. (Currently Amended) Hydrotreatment apparatus according to Claim 13, wherein the partition consists of a cylindrical element disposed inside and preferably concentrically with the a vertical wall of the fractionation unit.
- 15. (Currently Amended) Hydrotreatment apparatus according to Claim 11, <u>further comprising a wherein the</u>-separation means, the separation means is are-horizontal extending <u>from a vertical wall of the fractionation unit</u> and that <u>wherein</u> the two <u>separate</u> lines carrying, respectively, the effluents from the desulfurization reactor and from the <u>at least one</u> hydrotreatment reactor end at different heights of the fractionation unit respectively above and below the horizontal position of the separation means.
- 16. (Currently Amended) Hydrotreatment apparatus according to Claim 15, wherein the horizontal separation means is a tray provided with at least one riser.
- 17. (Currently Amended) Hydrotreatment apparatus according to Claim 11, wherein the at least one hydrotreatment reactor is a hydrodesulfurization reactor.
- 18. (Currently Amended) Hydrotreatment apparatus according to Claim 12, wherein the <u>at least one</u> hydrotreatment reactor is a hydrodesulfurization reactor.

- 19. (Currently Amended) Apparatus according to Claim 11, further comprising another reactor wherein are treated the <u>said</u> light fractions removed from the fractionation unit through the evacuation line are treated, said other reactor having a more specific action depending on the residual content of sulfur or aromatic compounds of said light fractions.
- 20. (Currently Amended) Apparatus according to Claim 17, further comprising another reactor wherein are treated the said light fractions removed from the fractionation unit through the evacuation line are treated, said other reactor having a more specific action depending on the residual content of sulfur or aromatic compounds of said light fractions.
- 21. (New) Hydrotreatment apparatus according to Claim 13, wherein the partition consists of a cylindrical element disposed concentrically with a vertical wall of the fractionation unit.